

Vol. 14, No. 10 March 4, 2021

I. National Notifiable Infectious Diseases

1. Reported cases, week ending February 27, 2021 (9th Week)*

										Unit: no. of cases
	C	urrent	Cum.	5-year		Total no.	of cases	s by year		Imported cases
Classification of di	CEACE	week	2021	weekly average	2020	2019	2018	2017	2016	of current week : Country (no. of cases)
Category II										
Tuberculosis		411	3,348	481	19,933	23,821	26,433	28,161	30,892	
Varicella		261	2,735	966	31,370	82,868	96,467	80,092	54,060	
Measles		0	0	1	6	194	15	7	18	
Cholera		0	0	0	0	1	2	5	4	
Typhoid feve	r	0	23	3	46	94	213	128	121	
Paratyphoid 1	fever	1	7	1	66	55	47	73	56	
Shigellosis		0	2	2	30	151	191	112	113	
EHĒC		2	12	1	284	146	121	138	104	
Viral hepatitis	5 A	47	670	97	3,859	17,598	2,437	4,419	4,679	
Pertussis		1	6	6	125	496	980	318	129	
Mumps		142	1,316	216	10,044	15,967	19,237	16,924	17,057	
Rubella		0	0	0	2	8	0	7	11	
Meningococc	al disease	0	0	0	5	16	14	17	6	
Pneumococca		3	40	12	344	526	670	523	441	
Hansen's dise		0	1	0	3	4	0.0	525		
Scarlet fever		10	145	233	2,326	7,562	15,777	22,838	11,911	
VRSA		0	0	0	9	3	0	0		
CRE		168	2,278	180	16,950	15,369	11,954	5,717	_	
Viral hepatitis	s E	5	46	-	187	-	-	-	_	
Category III										
Tetanus		0	2	0	31	31	31	34	24	
Viral hepatitis		9	71	6	376	389	392	391	359	
Japanese enc	•	0	0	0	7	34	17	9	28	
Viral hepatitis	s C	134	1,713	145	11,761	9,810	10,811	6,396	-	
Malaria		0	1	1	387	559	576	515	673	
Legionellosis		1	46	4	335	501	305	198	128	
Vibrio vulnifi	<i>cus</i> sepsis	0	0	0	71	42	47	46	56	
Murine typhu	IS	0	2	0	19	14	16	18	18	
Scrub typhus		5	120	9	4,431	4,005	6,668	10,528	11,105	
Leptospirosis		2	11	1	140	138	118	103	117	
Brucellosis		0	2	0	8	1	5	6	4	
HFRS		2	27	3	273	399	433	531	575	
HIV/AIDS		12	98	17	802	1,005	989	1,008	1,060	
CJD		2	28	1	81	53	53	36	42	
Dengue fever	-	0	0	4	41	273	159	171	313	
Q fever		0	4	1	73	162	163	96	81	
Lyme Borrelic	osis	0	0	0	7	23	23	31	27	
Melioidosis		0	0	0	1	8	2	2	4	
Chikungunya	fever	0	0	0	1	16	3	5	10	
SFTS		0	0	0	241	223	259	272	165	
Zika virus inf	ection	0	0	0	0	3	3	11	16	

Abbreviation: EHEC= Enterohemorrhagic Escherichia coli, VRSA= Vancomycin-resistant Staphylococcus aureus, CRE= Carbapenem-resistant Enterobacteriaceae, HFRS= Hemorrhagic fever with renal syndrome, CJD= Creutzfeldt-Jacob Disease, SFTS= Severe fever with thrombocytopenia syndrome.

Cum: Cumulative counts from 1st week to current week in a year.

^{*} The reported data for year 2020, 2021 are provisional but the data from 2016 to 2019 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[†] The reported surveillance data excluded no incidence data such as Ebola virus disease, Marburg Hemorrhagic fever, Lassa fever, Crimean Congo Hemorrhagic fever, South American Hemorrhagic fever, Rift Valley fever, Smallpox, Plague, Anthrax, Botulism, Tularemia, Newly emerging infectious disease syndrome, Severe Acute Respiratory Syndrome, Middle East Respiratory Syndrome, Human infection with zoonotic influenza, Novel Influenza, Diphtheria, Poliomyelitis, Haemophilus influenza type b, Epidemic typhus, Rabies, Yellow fever, West Nile fever and Tick-borne Encephalitis.

Unit: no. of cases[†]

										U	nit: no. c	ii cases
						Diseases	of Categor	y II				
Reporting area	Tu	ıberculos	is		Varicella			Measles			Cholera	
area	Current week	Cum. 2021	Cum. 5-year average§									
Overall	411	3,348	4,363	261	2,735	11,192	0	0	14	0	0	0
Seoul	66	546	790	35	354	1,245	0	0	2	0	0	0
Busan	26	231	315	7	157	587	0	0	1	0	0	0
Daegu	19	169	208	8	115	576	0	0	2	0	0	0
Incheon	19	184	228	12	140	586	0	0	1	0	0	0
Gwangju	9	71	114	7	108	482	0	0	0	0	0	0
Daejeon	13	80	97	7	72	307	0	0	0	0	0	0
Ulsan	11	56	88	6	46	279	0	0	0	0	0	0
Sejong	2	21	14	0	25	103	0	0	7	0	0	0
Gyonggi	82	755	938	93	786	3,061	0	0	0	0	0	0
Gangwon	20	130	184	6	89	293	0	0	0	0	0	0
Chungbuk	13	108	129	12	96	302	0	0	0	0	0	0
Chungnam	24	178	207	12	113	437	0	0	0	0	0	0
Jeonbuk	19	134	179	11	113	438	0	0	0	0	0	0
Jeonnam	22	181	217	11	142	500	0	0	1	0	0	0
Gyeongbuk	34	250	317	4	132	585	0	0	0	0	0	0
Gyeongnam	30	223	281	27	197	1,077	0	0	0	0	0	0
Jeju	2	31	56	3	50	334	0	0	0	0	0	0

^{*} The reported data for year 2020, 2021 are provisional but the data from 2016 to 2019 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

Unit: no. of cases[†]

						Diseases	of Categor	y II			1111. 110. 0	i cases
Reporting area	Тур	ohoid fe	ver	Para	typhoid	fever	S	Shigellosis	; ;		ohemorrh <i>herichia d</i>	
	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average [§]
Overall	0	23	27	1	7	4	0	2	27	2	12	4
Seoul	0	1	5	0	0	1	0	0	6	0	2	1
Busan	0	2	3	0	1	0	0	0	2	0	0	0
Daegu	0	0	1	0	2	0	0	0	3	0	0	1
Incheon	0	1	3	0	0	0	0	0	2	0	0	0
Gwangju	0	1	0	0	0	0	0	0	1	0	2	0
Daejeon	0	2	1	0	0	0	0	0	0	0	1	0
Ulsan	0	0	1	0	0	0	0	0	0	0	0	0
Sejong	0	0	0	0	0	0	0	0	0	0	0	0
Gyonggi	0	5	6	1	2	1	0	0	6	2	5	1
Gangwon	0	0	1	0	1	0	0	0	0	0	0	0
Chungbuk	0	0	1	0	0	0	0	0	0	0	0	0
Chungnam	0	1	1	0	0	0	0	0	2	0	0	0
Jeonbuk	0	0	0	0	0	1	0	1	0	0	0	0
Jeonnam	0	1	1	0	1	1	0	1	2	0	0	0
Gyeongbuk	0	2	1	0	0	0	0	0	2	0	1	0
Gyeongnam	0	7	2	0	0	0	0	0	1	0	1	1
Jeju	0	0	0	0	0	0	0	0	0	0	0	0

^{*} The reported data for year 2020, 2021 are provisional but the data from 2016 to 2019 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

Unit: no. of cases[†]

						Diseases	of Categor	y II		<u> </u>	<u>iit. 110. 01</u>	
Reporting area	Vira	ıl hepati	tis A		Pertussis	5		Mumps			Rubella	
urcu	Current week	Cum. 2021	Cum. 5-year average [§]	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average [§]	Current week	Cum. 2021	Cum. 5-year average [§]
Overall	47	670	600	1	6	63	142	1,316	1,756	0	0	0
Seoul	7	111	105	0	0	11	15	155	189	0	0	0
Busan	0	9	15	0	0	3	5	63	101	0	0	0
Daegu	1	9	12	0	0	3	7	54	60	0	0	0
Incheon	7	53	43	0	0	6	11	58	79	0	0	0
Gwangju	2	14	8	0	0	3	5	60	84	0	0	0
Daejeon	3	22	57	0	0	2	6	48	47	0	0	0
Ulsan	1	4	6	0	0	1	5	51	58	0	0	0
Sejong	0	4	8	0	0	2	0	8	9	0	0	0
Gyonggi	12	261	182	0	1	9	42	412	450	0	0	0
Gangwon	0	12	14	0	0	0	8	48	71	0	0	0
Chungbuk	1	21	25	1	1	1	2	27	52	0	0	0
Chungnam	6	63	46	0	0	2	5	57	80	0	0	0
Jeonbuk	1	34	32	0	0	2	10	50	76	0	0	0
Jeonnam	4	23	14	0	0	6	5	41	71	0	0	0
Gyeongbuk	1	12	14	0	3	5	3	48	92	0	0	0
Gyeongnam	0	8	15	0	1	6	10	113	214	0	0	0
Jeju	1	10	4	0	0	1	3	23	23	0	0	0

^{*} The reported data for year 2020, 2021 are provisional but the data from 2016 to 2019 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

Unit: no. of cases[†]

		Dis	seases of	Category	II			D	iseases of	Category I	it: no. of	cases
Reporting area	Mening	ococcal	disease	Sc	arlet fev	er		Tetanus		Vira	l hepatiti	s B
arca	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average [§]
Overall	0	0	2	10	145	1,930	0	2	0	9	71	48
Seoul	0	0	0	2	20	259	0	0	0	0	4	10
Busan	0	0	0	0	7	149	0	0	0	0	2	3
Daegu	0	0	0	0	2	59	0	1	0	0	2	2
Incheon	0	0	0	2	7	92	0	0	0	0	2	2
Gwangju	0	0	0	0	19	105	0	0	0	0	3	1
Daejeon	0	0	0	0	1	68	0	1	0	0	2	2
Ulsan	0	0	0	1	8	85	0	0	0	1	2	1
Sejong	0	0	0	0	0	8	0	0	0	0	0	0
Gyonggi	0	0	1	4	42	532	0	0	0	5	24	11
Gangwon	0	0	1	0	4	24	0	0	0	0	3	1
Chungbuk	0	0	0	0	4	36	0	0	0	1	1	1
Chungnam	0	0	0	1	3	90	0	0	0	0	6	2
Jeonbuk	0	0	0	0	1	63	0	0	0	0	3	2
Jeonnam	0	0	0	0	4	83	0	0	0	0	6	2
Gyeongbuk	0	0	0	0	7	101	0	0	0	0	6	3
Gyeongnam	0	0	0	0	14	150	0	0	0	2	4	5
Jeju	0	0	0	0	2	26	0	0	0	0	1	0

^{*} The reported data for year 2020, 2021 are provisional but the data from 2016 to 2019 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

Unit: no. of cases[†]

										Un	it: no. ot	cases
						Diseases	of Categor	y III				
Reporting area	Japane	se ence	ohalitis		Malaria		Le	gionellos	is	Vibrio	vulnificus	sepsis
	Current week	Cum. 2021	Cum. 5-year average [§]	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average [§]	Current week	Cum. 2021	Cum. 5-year average [§]
Overall	0	0	0	0	1	9	1	46	38	0	0	0
Seoul	0	0	0	0	0	4	1	4	12	0	0	0
Busan	0	0	0	0	0	0	0	1	2	0	0	0
Daegu	0	0	0	0	0	0	0	3	1	0	0	0
Incheon	0	0	0	0	0	1	0	2	3	0	0	0
Gwangju	0	0	0	0	0	1	0	1	0	0	0	0
Daejeon	0	0	0	0	0	0	0	1	1	0	0	0
Ulsan	0	0	0	0	0	0	0	1	1	0	0	0
Sejong	0	0	0	0	0	0	0	0	0	0	0	0
Gyonggi	0	0	0	0	1	2	0	10	11	0	0	0
Gangwon	0	0	0	0	0	1	0	0	1	0	0	0
Chungbuk	0	0	0	0	0	0	0	2	1	0	0	0
Chungnam	0	0	0	0	0	0	0	1	0	0	0	0
Jeonbuk	0	0	0	0	0	0	0	6	1	0	0	0
Jeonnam	0	0	0	0	0	0	0	3	1	0	0	0
Gyeongbuk	0	0	0	0	0	0	0	0	2	0	0	0
Gyeongnam	0	0	0	0	0	0	0	2	1	0	0	0
Jeju	0	0	0	0	0	0	0	9	0	0	0	0

^{*} The reported data for year 2020, 2021 are provisional but the data from 2016 to 2019 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

Unit: no. of cases[†]

										Un	it: no. of	cases
						Diseases (of Categor	y III				
Reporting area	Mu	rine typl	nus	Sci	rub typh	us	Le	ptospiros	iis	В	rucellosis	
	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average [§]	Current week	Cum. 2021	Cum. 5-year average [§]
Overall	0	2	0	5	120	99	2	11	5	0	2	0
Seoul	0	0	0	0	6	4	0	0	1	0	0	0
Busan	0	0	0	0	8	6	0	1	0	0	0	0
Daegu	0	0	0	0	6	0	0	0	0	0	0	0
Incheon	0	1	0	0	2	3	0	2	0	0	0	0
Gwangju	0	0	0	0	4	1	0	0	1	0	0	0
Daejeon	0	0	0	0	0	2	1	1	0	0	0	0
Ulsan	0	0	0	0	2	4	0	0	0	0	0	0
Sejong	0	0	0	0	0	1	0	0	0	0	0	0
Gyonggi	0	0	0	0	7	8	0	1	2	0	2	0
Gangwon	0	0	0	0	1	2	1	1	0	0	0	0
Chungbuk	0	0	0	0	2	2	0	1	0	0	0	0
Chungnam	0	0	0	0	7	7	0	2	0	0	0	0
Jeonbuk	0	0	0	1	25	9	0	2	1	0	0	0
Jeonnam	0	0	0	4	32	21	0	0	0	0	0	0
Gyeongbuk	0	0	0	0	4	5	0	0	0	0	0	0
Gyeongnam	0	0	0	0	10	20	0	0	0	0	0	0
Jeju	0	1	0	0	4	4	0	0	0	0	0	0

^{*} The reported data for year 2020, 2021 are provisional but the data from 2016 to 2019 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

Unit: no. of cases[†]

										Un	ıt: no. ot	cases
						Diseases	of Categor	y III				
Reporting area	Hemo	orrhagic renal synd	fever Irome	Creutzfel	dt-Jacob	Disease	De	ngue fev	er		Q fever	
	Current week	Cum. 2021	Cum. 5-year average [§]	Current week	Cum. 2021	Cum. 5-year average§	Current week	Cum. 2021	Cum. 5-year average [§]	Current week	Cum. 2021	Cum. 5-year average [§]
Overall	2	27	38	2	28	7	0	0	34	0	4	10
Seoul	0	0	2	0	3	2	0	0	10	0	0	1
Busan	0	0	1	0	1	0	0	0	3	0	0	0
Daegu	0	2	0	0	3	0	0	0	3	0	0	0
Incheon	0	1	1	0	3	0	0	0	2	0	0	0
Gwangju	0	2	1	0	1	0	0	0	0	0	0	0
Daejeon	0	0	0	0	1	0	0	0	0	0	0	1
Ulsan	0	0	0	0	0	0	0	0	1	0	0	0
Sejong	0	0	0	0	0	0	0	0	0	0	0	0
Gyonggi	0	3	14	1	8	2	0	0	9	0	1	2
Gangwon	1	3	3	0	2	0	0	0	1	0	0	0
Chungbuk	0	1	1	0	0	0	0	0	1	0	0	2
Chungnam	0	6	2	1	1	0	0	0	1	0	2	1
Jeonbuk	0	4	4	0	0	1	0	0	0	0	0	1
Jeonnam	0	2	3	0	0	0	0	0	1	0	1	1
Gyeongbuk	0	2	5	0	2	1	0	0	1	0	0	0
Gyeongnam	1	1	1	0	2	1	0	0	1	0	0	1
Jeju	0	0	0	0	1	0	0	0	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

- 8 -

^{*} The reported data for year 2020, 2021 are provisional but the data from 2016 to 2019 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

Unit: no. of cases[†]

				Diseas	es of Catego	ory III			
Reporting area	Lym	ne Borrelio	sis	Severe fever	with thrombounds	ocytopenia	Zika	virus infect	ion
	Current week	Cum. 2021	Cum. 5-year average⁵	Current week	Cum. 2021	Cum. 5-year average [§]	Current week	Cum. 2021	Cum. 5-year average§
Overall	0	0	1	0	0	0	0	0	-
Seoul	0	0	1	0	0	0	0	0	-
Busan	0	0	0	0	0	0	0	0	-
Daegu	0	0	0	0	0	0	0	0	-
Incheon	0	0	0	0	0	0	0	0	-
Gwangju	0	0	0	0	0	0	0	0	-
Daejeon	0	0	0	0	0	0	0	0	-
Ulsan	0	0	0	0	0	0	0	0	-
Sejong	0	0	0	0	0	0	0	0	-
Gyonggi	0	0	0	0	0	0	0	0	-
Gangwon	0	0	0	0	0	0	0	0	-
Chungbuk	0	0	0	0	0	0	0	0	-
Chungnam	0	0	0	0	0	0	0	0	-
Jeonbuk	0	0	0	0	0	0	0	0	-
Jeonnam	0	0	0	0	0	0	0	0	-
Gyeongbuk	0	0	0	0	0	0	0	0	-
Gyeongnam	0	0	0	0	0	0	0	0	-
Jeju	0	0	0	0	0	0	0	0	-

Cum: Cumulative counts from 1st week to current week in a year

- 9 -

^{*} The reported data for year 2020, 2021 are provisional but the data from 2016 to 2019 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

II. Sentinel-Reporting Infectious Diseases

1. Influenza, weeks ending February 27, 2021 (9th Week)

- Weekly proportion of influenza-like illness per 1,000 outpatients: 1.2 cases (=0.12%)
- Variation: decrease from 2.0 cases in 8th week of 2021
- Sentinel reporting sites: 200 hospitals/clinics
 2020-2021 outbreak standard: 5.8 cases (/1,000)




Figure 1. Weekly proportion of influenza-like illness per 1,000 outpatients, 2015-2016 to 2020-2021 flu seasons

2. Hand, Foot and Mouth Disease (HFMD), weeks ending February 27, 2021 (9th Week)

- Weekly proportion of hand, foot and mouth disease (HFMD) per 1,000 outpatients: 0.4 case
- Variation: increase from 0.3 case in 8th week of 2021
- Sentinel reporting sites: 97 hospitals/clinics




Figure 2. Weekly proportion of hand, foot and mouth per 1,000 outpatients, 2016-2021

3. Ophthalmologic infectious diseases, weeks ending February 27, 2021 (9th Week)

- Weekly proportion of epidemic keratoconjunctivitis per 1,000 outpatients: 2.6 cases
- Variation: decrease from 2.8 cases in 8th week of 2021
- Sentinel reporting sites: 90 hospitals/clinics




Figure 3. Weekly proportion of epidemic keratoconjunctivitis per 1,000 outpatients, 2017-2021

- Weekly proportion of acute hemorrhagic conjunctivitis per 1,000 outpatients: 0.3 case
- Variation: increase from 0.2 case in 8th week of 2021
- Sentinel reporting sites: 90 hospitals/clinics




Figure 4. Weekly proportion of acute hemorrhagic conjunctivitis per 1,000 outpatients, 2017-2021

4. Sexually Transmitted Diseases[†], weeks ending February 27, 2021 (9th Week)

- Cases per sentinel: 5.0 for human Papilloma virus infection, 3.5 for genital herpes, 2.2 for condyloma acuminata,
 2.0 for chlamydia, 1.2 for gonorrhea, 1.0 for primary Syphilis, 0.0 for secondary Syphilis,
 0.0 for congenital Syphilis
- Variation from 8th week of 2021

Increase: gonorrhea (1.1 \rightarrow 1.2), genital herpes (2.2 \rightarrow 3.5), condyloma acuminata (1.9 \rightarrow 2.2),

human Papilloma virus infection (3.3 \rightarrow 5.0)

Decrease: chlamydia (2.1 \rightarrow 2.0),

No change: primary Syphilis (1.0 \rightarrow 1.0), secondary Syphilis (0.0 \rightarrow 0.0), congenital Syphilis (0.0 \rightarrow 0.0)

• Sentinel reporting sites: 592 hospitals/clinics

No. of reported sites in 9th week: 20 for gonorrhea, 46 for chlamydia, 45 for genital herpes, 26 for condyloma acuminata,
 30 for human Papilloma virus infection, 1 for primary Syphilis, 0 for secondary Syphilis,
 0 for congenital Syphilis

Unit: no. of cases/sentinels

	Gonorrhe	a		Chlamydia	ı		Genital he	rpes	Cor	ndyloma acumir	nata
Current week	Cum. 2020	Cum. 5-year average [§]	Current week	Cum. 2020	Cum. 5-year average [§]	Current week	Cum. 2020	Cum. 5-year average [§]	Current week	Cum. 2020	Cum. 5-year average [§]
1.2	2.5	3.1	2.0	6.0	7.4	3.5	9.3	9.4	2.2	5.9	5.8
Human F	Human Papilloma virus infection Primary Syphilis					Second	lary Syphilis		Congenital Syr	ohilis	

Human Pa	apilloma vir	rus infection	Pr	rimary Syp	hilis	Se	condary Sy	philis	C	Congenital Syp	philis
Current week	Cum. 2020	Cum. 5-year average [§]	Current week	Cum. 2020	Cum. 5-year average [§]	Current week	Cum. 2020	Cum. 5-year average [§]	Current week	Cum. 2020	Cum. 5-year average⁵
5.0	18.6	3.2	1.0	1.1	0.3	0.0	1.4	0.3	0.0	1.0	0.0

Cum: Cumulative counts from 1st week to current week in a year

III. Waterborne and Foodborne Infectious Diseases

1. Waterborne and foodborne disease outbreaks, weeks ending February 27, 2021 (9th Week)

- No. of reported outbreaks: 5 with 50 patients (cumulative no. of outbreaks: 50 with 809 patients)
- Variation: decrease from 6 in 8th week of 2021
- Reporting sites: 254 health centers




Figure 5. Number of waterborne and foodborne disease outbreaks reported by week, 2020-2021

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

X Added human Papilloma virus infection and syphilis from 1st week 2020.

IV. Laboratory-based Pathogen Surveillance: Influenza and Respiratory Viruses

1. Influenza viruses, weeks ending February 27, 2021 (9th Week)

- Weekly reported number of specimens positive for influenza: 0 case (0.0%) / 72 specimens [influenza subtype: A(H1N1)pdm09 0 case, A(H3N2) 0 case, B 0 case]
- Variation (%p): no change from 0 case (0.0%) / 76 specimens in 8th week of 2021
- Sentinel reporting sites: 52 hospitals/clinics




Figure 6. Number of specimens positive for influenza by subtype, 2020-2021 flu season

2. Respiratory viruses, weeks ending February 27, 2021 (9th Week)

- Detection rate: 41.7% (cumulative mean proportion during preceding three weeks plus current week: 40.6% out of 288 specimens)
- Variation (%p): increase from 38.2% in 8th week of 2021
- Sentinel reporting sites: 17 city/provincial health and environmental institutes and 52 hospitals/clinics

2021		ekly tal				Detection	rate (%)			
(week)	No. of samples	Detection rate (%)	HAdV	HPIV	HRSV	IFV	HCoV	HRV	HBoV	HMPV
6	72	40.3	6.9	0.0	0.0	0.0	0.0	22.2	11.1	0.0
7	68	42.6	10.3	0.0	0.0	0.0	0.0	26.5	5.9	0.0
8	76	38.2	5.3	0.0	0.0	0.0	0.0	22.4	10.5	0.0
9	72	41.7	12.5	0.0	0.0	0.0	0.0	20.8	8.3	0.0
Cum.**	288	40.6	8.7	0.0	0.0	0.0	0.0	22.9	9.0	0.0
2020 Cum. [∀]	5,819	48.6	6.5	0.4	3.1	12.0	3.4	18.4	3.5	1.4

⁻ HAdV: human Adenovirus, HPIV: human Parainfluenza virus, HRSV: human Respiratory syncytial virus, IFV: Influenza virus, HCoV: human Coronavirus, HRV: human Rhinovirus, HBoV: human Bocavirus, HMPV: human Metapneumovirus

X Cum.: the rate of detected cases between January 31, 2021 - February 27, 2021 (Average no. of detected cases is 72 last 4 weeks)

^{∀ 2020} Cum. : the rate of detected cases between December 29, 2019 – December 26, 2020

V. Laboratory-based Pathogen Surveillance: Acute Gastroenteritis Viruses/Bacteria

1. Acute gastroenteritis-causing virus, weeks ending February 20, 2021 (8th Week)

- Detection rate: 43.4% [cumulative mean proportion in 2021: 243 cases (43.6%) out of 557 specimens]
- Variation (%p): decrease from 49.3% in 7th week of 2021
- Sentinel reporting sites: 17 city/provincial health and environmental institutes and 70 hospitals/clinics

			No. of detection (Detection rate, %)											
Week		No. of sample	Norovirus		Group A Rotavirus		Enteric Adenovirus		Astrovirus		Sapovirus		Total	
2021	5	72	27	(37.5)	0	(0.0)	2	(2.8)	0	(0.0)	0	(0.0)	29	(40.3)
	6	63	24	(38.1)	2	(3.2)	1	(1.6)	0	(0.0)	0	(0.0)	27	(42.9)
	7	67	29	(43.3)	4	(6.0)	0	(0.0)	0	(0.0)	0	(0.0)	33	(49.3)
	8	76	30	(39.5)	3	(3.9)	0	(0.0)	0	(0.0)	0	(0.0)	33	(43.4)
Cu 20		557	222	(39.9)	14	(2.5)	7	(1.3)	0	(0.0)	0	(0.0)	243	(43.6)

^{*} The samples were collected from children ≤ 5 years of sporadic acute gastroenteritis in Korea.

2. Acute gastroenteritis-causing bacteria, weeks ending February 20, 2021 (8th Week)

- Detection rate: 8.2% [cumulative mean proportion in 2021: 163 cases (10.6%) out of 1,535 specimens]
- Variation (%p): decrease from 11.8% in 7th week of 2021
- Sentinel reporting sites: 17 city/provincial health and environmental institutes and 70 hospitals/clinics

Week		No. of Sample	No. of isolation (Isolation rate, %)										
			Salmonella spp.	Pathogenic <i>E.coli</i>	<i>Shigella</i> spp.	V.parahae molyticus	V. cholerae	Campylob acter spp.	_	S. aureus	B. cereus	Total	
2021	5	191	1 (0.5)	1 (0.5)	0 (0.0)	0 (0.0)	0 (0.0)	2 (1.0)	4 (2.1)	10 (5.2)	2 (1.0)	20 (10.5)	
	6	203	1 (0.5)	2 (1.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (1.0)	2 (1.0)	4 (2.0)	1 (0.5)	12 (5.9)	
	7	186	3 (1.6)	4 (2.2)	0 (0.0)	0 (0.0)	0 (0.0)	2 (1.1)	8 (4.3)	5 (2.7)	0 (0.0)	22 (11.8)	
	8	183	0 (0.0)	1 (0.5)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.5)	4 (2.2)	6 (3.3)	3 (1.6)	15 (8.2)	
	um.)21	1,535	14 (0.9)	25 (1.6)	0 (0.0)	0 (0.0)	0 (0.0)	14 (0.9)	37 (2.4)	54 (3.5)	17 (1.1)	163 (10.6)	

^{*} Bacterial Pathogens: Salmonella spp., E. coli (EHEC, ETEC, EPEC, EIEC), Shigella spp., Vibrio parahaemolyticus, Vibrio cholerae, Campylobacter spp.,

Clostridium perfringens, Staphylococcus aureus, Bacillus cereus, Listeria monocytogenes, Yersinia enterocolitica.

^{*} Hospitals participating in Laboratory surveillance in 2021 (69 hospitals)

VI. Laboratory-based Pathogen Surveillance: Enterovirus

1. Enterovirus, weeks ending February 20, 2021 (8th Week)

- Detection rate: 0.0% (0 case / 10 specimens) [cumulative mean proportion in 2021: 1.4% (1 case / 70 specimens)]
 - Aseptic meningitis: 0 case (Cum. 2021: 1 case)
 - HFMD and herpangina: 0 case (Cum. 2021: 0 case)
 - HFMD with complications: 0 case (Cum. 2021: 0 case)
 - Other: 0 case (Cum. 2021: 0 case)
- Variation (%p): no change from 0.0% in 7th week of 2020
- Sentinel reporting sites: 14 city/provincial health and environmental institutes and 60 hospitals/clinics




Figure 7. Detection of enterovirus in aseptic meningitis patients from 2019 to 2020




Figure 8. Detection of enterovirus in HFMD and herpangina patients from 2019 to 2020




Figure 9. Detection of enterovirus in HFMD with complications patients from 2019 to 2020

About PHWR Disease Surveillance Statistics

The Public Health Weekly Report (PHWR) Disease Surveillance Statistics is prepared by the Korea Disease Control and Prevention Agency (KCDA). These provisional surveillance data on the reported occurrence of national notifiable diseases and conditions are compiled through population-based or sentinel-based surveillance systems and published weekly, except for data on infrequent or recently-designated diseases. These surveillance statistics are informative for analyzing infectious disease or condition numbers and trends. However, the completeness of data might be influenced by some factors such as a date of symptom or disease onset, diagnosis, laboratory result, reporting of a case to a jurisdiction, or notification to Korea Disease Control and Prevention Agency. The official and final disease statistics are published in infectious disease surveillance yearbook annually.

Using and Interpreting These Data in Tables

- Current Week The number of cases under current week denotes cases who have been reported to Korea CDC at the central level via corresponding jurisdictions(health centers, and health departments) during that week and accepted/approved by surveillance staff.
- Cum. 2021 For the current year, it denotes the cumulative(Cum) year-to-date provisional counts for the specified condition.
- 5-year weekly average The 5-year weekly average is calculated by summing, for the 5 proceeding years, the provisional incidence counts for the current week, the two weeks preceding the current week, and the two weeks following the current week. The total sum of cases is then divided by 25 weeks. It gives help to discern the statistical aberration of the specified disease incidence by comparing difference between counts under current week and 5-year weekly average.

For example,

		Week Number									
		10	11	12	13	14					
Vanu	2021			Current							
Year	2021			week							
	2020	X1	X2	X3	X4	X5					
	2019	X6	X7	X8	X9	X10					
	2018	X11	X12	X13	X14	X15					
	2017	X16	X17	X18	X19	X20					
	2016	X21	X22	X23	X24	X25					

5-year weekly average for current week

$$= (X1 + X2 + ... + X25) / 25$$

• Cum. 5-year average – Mean value calculated by cumulative counts from 1st week to current week for 5 preceding years. It gives help to understand the increasing or decreasing pattern of the specific disease incidence by comparing difference between cum. 2021 and cum. 5-year average.

Contact Us

Questions or comments about the PHWR Disease Surveillance Statistics can be sent to phwrcdc@korea.kr or to the following:

Mail:

Division of Climate Change and Health Protection Korea Disease Control and Prevention Agency

187 Osongsaengmyeong 2-ro, Osong-eup, Héungdeok-gu, Cheongju-si, Chungcheongbuk-do, Korea, 28160